

FIGURE 1  
(PRIOR ART)




FIG. 2A

51




FIG. 2B

100a




FIGURE 3

100b




FIGURE 4



100




FIG. 6




FIGURE  
7A




FIGURE  
7B




FIGURE  
7C



FIG. 8A is a perspective view of a first embodiment of a device 100. The device 100 includes a base 110 and a handle 120. The handle 120 is connected to the base 110 by a hinge 130. The handle 120 is shown in an open position. FIG. 8B is a perspective view of a second embodiment of a device 200. The device 200 includes a base 210 and a handle 220. The handle 220 is connected to the base 210 by a hinge 230. The handle 220 is shown in an open position. FIG. 8C is a perspective view of a third embodiment of a device 300. The device 300 includes a base 310 and a handle 320. The handle 320 is connected to the base 310 by a hinge 330. The handle 320 is shown in an open position. FIG. 8D is a perspective view of a fourth embodiment of a device 400. The device 400 includes a base 410 and a handle 420. The handle 420 is connected to the base 410 by a hinge 430. The handle 420 is shown in an open position.




FIGURE 8A




FIGURE 8B






FIGURE  
10A




Figure 10B

FIG. 11 is a perspective view of the device 100 in an open position, showing the interior of the container 102 and the lid 104. The lid 104 is hinged to the container 102 at the top edge. The interior of the container 102 is divided into two main sections: a front section 106 and a rear section 108. The front section 106 contains a row of five circular openings 110, which are arranged in a slightly curved pattern. The rear section 108 is a solid, rectangular compartment. The lid 104 is shown in an open position, revealing the interior of the container 102. A curved arrow indicates the hinge mechanism at the top edge of the container 102.




FIGURE  
11




FIGURE 12






FIGURE  
13

[illegible]

**500**



**FIGURE 15**